



MASTER SIGN PROGRAM

Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013 Revised December 30, 2013

Signage Consultant:



9650 WEST ROOSEVELT STREET
TOLLESON, ARIZONA 85353
602-944-3117
FAX 602-395-0753
SALES@BLEIERINDUSTRIES.COM

APPROVED

Minor Administrative Design Review

Case # DR17-1115 (DR05-24J)

November 7, 2017

APPROVED

Minor Administrative Design Review

Case # <u>DR05-24H</u>

Date December 30, 2013

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

Date August 5, 2013



FREESTANDING SIGN CRITERIA

APPROVED

Minor Administrative Design Review Case # _DR17-1115 (DR05-24J)

Date November 7, 2017

APPROVED

Minor Administrative Design Review Case #_DR05-24H

Date

December 30, 2013


APPROVED

Minor Administrative Design Review Case #_DA13-33 (DR05-24)

Date

August 5, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009
Revised July 17, 2013
Revised December 30, 2013



Page 1A





Freestanding Sign Matrix

S IG N	SIGN TYPE	FUNCTION	LOCATION	QUANTITY	HEIGHT	SIZE	ILLUMINATION	MATERIALS
SIGN TYPE EX-A Freeway Pylon	Pylon	Project ID with tenant identification "Main Street Commons" (1) "Val Vista Square" (4)	Placed along San Tan Freeway (Loop 202)	5	Sixty (60!) Feet to top of Pylon	535.5 SF Tenant Sign Area. 64.5 SF Center ID Area. Exclusive of Architectural Embellishments	Interior I Ilumination	Textured Aluminum, Powder Coat and Acry lics Changeable Message Boards
SIGN TYPE EX-B Primary Gateway Identification	Gateway Feature	Project Identification "Val Vista Square"	Intersection of Pecos Road and Val Vista	1	Five (5!) feet to top of sign panel exclusive of wall features and architectural embellishment	35 SF Sign Area Exclusive of Architectural Embellishments	Ground Illumination	Masonry, Stone, Textured Aluminum, PowderCoat
SIGN TYPE EX-C Secondary Gateway Identification	Monument / Planter	Project Identification "Val Vista Square"	Intersections of Pecos Poad and Market Street and Val Vista and Market Street	2	Seven (7!) feet to top of sign copy exclusive of wall features and architectural embellishment	45 SF Sign Area Exclusive of Architectural Embellishments	Backlit LED "Halo" Illumination and/or Ground Illumination	Masonry, Stone, Textured Aluminum, Powder Coat
SIGN TYPE EX-D Primary Entry Identification	Monument	Project Identification "Val Vista Square"	North Side of Primary Driveway Entrance on Val Vista Drive (Parcel 1A)	1	Six (6!) feet to top of sign copy exclusive of wall features and architectural embellishment	40 SF Sign Area Exclusive of Architectural Embellishments	Back lit LED "Halo" Illumination and/orGround Illumination	Masonry, Stone, Textured Aluminum, Powder Coat
SIGN TYPE EX-F Tenant Directory	Monument	Pedestrian Directory / Wayfinding	Throughout the Project as Required	Minimum (6)	Seven (7!) feet to top of sign copy exclusive of pedestal features and architectural embellishment	20 SF Sign Area Exclusive of Architectural Embellishments	Indirect Illumination and/or Ground Illumination	Masonry, Stone, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE EX-G Parcels 2A, 5, and 8 Primary Entry Identification	Monument	Business Identification	Th roughout the Parcel 8 as Required (Existing) and Parcels 2A and 5 (Future)	9+	日 ght (8!) feet to top of sign	32 SF for buildings with set back less than 75! 60 SF for Buildings with set back of at least 75!	Internal Illumination and/or Ground Illumination	Masonry Base with Theme Colored Stain , Aluminum, Powder Coat and Acrylics
SIGN TYPE EX-G Parcel 9 Primary Entry Identification	Monument	Business Identification	At Primary Driveways Market Street (1) Pecos Road (2)	3	Twelve (12!) feet to top of sign	60 SF Sign Area Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry Base with Theme Colored Stain , Aluminum, Powder Coat, Acrylics , and Changeable Message Boards
SIGN TYPE EX-G Parcel 1A Primary Entry Identification	Monument	Project Identification "Val Vista Square" and Business Identification	At Driveways (current and future) Serving Parcel 1A	7	Fifteen (15!) feet to top of sign	100 SF Sign Area Exclusive of Architectural Embellishments	Backlit LED "Halo" Illumination, internal illumination and/or Ground Illumination	Stone Base, Aluminum, Powder Coat, Acrylics, and Changeable Message Boards
SIGN TYPE EX-G Parcel 8 Lot 2 Primary Entry Identification	Monument	Business Identification	At Driveways and along Val Vista Drive	3	Eight (8') feet to top of sign	60 SF including architectural embelishment	Internal or ground illumination	Masonry, aluminum, theme color stain, paint, or powdercoated and acrylics
SIGN TYPE EX-H Vehicular Directional	Monument	Direct On-site Vehicular Traffic	Placed On-site within Landscape Islands as Required	As Required to Direct Vehicular Traffic	Five Feet Eight (5'-8") Inches to top of Angled Fea ture	15 SF Sign Area Exclusive of Architectural Embellishments	Non-Illuminated	Aluminum, Powder Coat and Reflective Vinyl

APPROVED

Case Number DR05-24 A DRB Meeting February 12, 2009

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

Case # DR05-24H

APPROVED

Revised December 30, 2013

Date

November 7, 2017

APPROVED

December 30, 2013


Minor Administrative Design Review

Minor Administrative Design Review

Case # DA13-33 (DR05-24) August 5, 2013 Date

Revised July 17, 2013

APPROVED



PHOENIX, ARIZONA 85029 602,944.9117 FAX 602.395.0753 SALES@BLEIERINDUSTRIES COM

Main Street Commons Woodbine Southwest Chandler, Az Freeway Pylon 04/20/06

© 2006, BLEIER INDUSTRIES, LID This drawing and the ideas expressed her confidential property of Bleier Industries, Ltd.

APPROVED BY:

EX-A

(EX-A.1 Only - Existing) Sign Type EX-A, Freeway Pylon

STRUCTURE: Fabricated metal, painted brushed aluminum and powder coated rust. CMU base.

TENANT COPY: Internally illuminated individual pan channel letters untillizing tenants corporate logos and color specifications Internally illuminated blue acrylic tenant panel accent

SIGN PANEL: Non illuminated painted aluminum sign panel

LOGO: 8" deep individual pan channel letters painted brushed aluminum flush mounted to overcut aluminum background pan painted black Internally illuminated with preforated aluminum faces painted brushed aluminum.

 $.4'-3'' \times 18'-0'' = 76.5 \text{ sf}$ INDIVIDUAL TENANT PANEL AREA. AGGREGATE TENANT AREA (7 TENANTS).

3'-7" x 18'-0" = 64.5 sf APPROXED PLANS Design Review Board **DENTIFICATION AREA**

GN AREA 535.5 + 64.5 **APPROVED**

Minor Administrative Design Review Case # DA13-33 (DR05-24)


Date

SUBJECT TO CONDITIONS OF APPROVAL

Page 3

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013

Sign Type EX-A - Freeway Monument



Sign Type EX-A (Val Vista Square) SCALE: 1/8" = 1'-0"

Page 4

General Notes:

1) Configurations illustrated above are limited for use by Val Vista Square on Sign Types EX-A.2 thru EX-A.5.

2) * Combined / Split Configration allows for two or more panels to be combined to provide a larger tenant sign background. More than one combined set of panels can be configured for use on a single pylon. Similarly, additional split panel configurations may be added.

3) **Digital dimensions may vary based upon Manufacturer's specifications. Digital display can occupy up to one half (1/2) of the sign area of the overall display.

APPROVED


Minor Administrative Design Review Case #_DA13-33 (DR05-24)

Date August 5, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013



Replace Project Identification See Page 4A



Sign Type EX-B, Gateway Monument

SIGN BACKGROUND STRUCTURE: Fabricated metal pan, powder coated rust Inset into stone veneer

LOGO: Individual pan channel letters painted brushed aluminum flush mounted to overcut aluminum background pan painted black Ground illumination

STONE VENEER GATEWAY WALL BY OTHERS



© 2008, BLEIER INDUSTRIES, LTD This drawing and the ideas expressed confidential property of Bleiar Industries, Lt

APPROVED

Minor Administrative Design Review

Case # DR17-1115 (DR05-24J)


EX-B


November 7, 2017 Date

APPROVED

Minor Administrative Design Review Case # DR05-24H

December 30, 2013







Sign Type EX-B / Gateway Monument

SIGN BACKGROUND STRUCTURE: Fabricated aluminum pan, powder coated rust. Inset into existing stone veneer.

Center ID: Individual reverse pan channel letters painted brushed aluminum flush mounted to overcut aluminum background pan painted white. Ground illumination.









Sign Type EX-C, Secondary Gateway

STRUCTURE: Fabricated metal, powder coated rust

LOGO: Individual pan channel letters painted brushed aluminum flush mounted to overcut aluminum background pan painted black Ground illumination



'AGAVE PARRYI' VAR. TRUNCATA



PITHECELLO FLEXICAULE **TEXAS EBONY**



PHOENIX, ARIZONA 85029 602.944.3117 FAX 602,395,0753 SALES@BLEIERINDUSTRIES COM

Main Street Commons Woodbine Southwest Chandler, Az

Secondary Gateway Sign

As Noted EX-C

APPROVED BY:

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

August 5, 2013 Date

APPROVED PLANS

Design Review Board

ORDS - 24 A

SUBJECT TO CONDITIONS OF APPROVAL


PLAN: Sign Type EX-C SCALE: 1/8" = 1'-0"

Redesign Sign and Replace Project Identification See Page 5A

COMMONS

35'-0" --- **APPROVED** Minor Administrative Design Review Case # DR05-24H December 30, 2013 **APPROVED**

ELEVATION: Sign Type EX-C SCALE: 1/4" = 1'-0"



SCALE: 1/4" = 1'-0"

Center ID Left Side Aligned
Sign Type EX-C - Secondary Gateway / Single Sided


NEC Val Vista Drive & Market Street and SWC Pecos Road & Market Street

Specifications / Sign Type EX-C

Fabricated aluminum with powder coated "Rust" finish.

Individual reverse pan channel letters painted brushed aluminum mounted to overcut aluminum background painted white.

Backlit LED "Halo" illumination and/or ground illumination.



Typical EX-C Landscape Feature PROVED
Minor Administrative Design Review

Case # DA13-33 (DR05-24)

Date August 5, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009


* Revised July 17, 2013




9650 WEST ROOSEVELT STREET TOLLESON, ARIZONA 85353 602-944-3117 FAX 602-395-0753 SALES@BLEIERINDUSTRIES.COM

ALL SIGNS WILL BE (U.L.) LISTED, (U.L.) 2161 COMPLIANT & CARRY

(U.L.) LABELS TO BE INSTALLED ACCORDING





Sign Type EX-D, Primary Entry


STRUCTURE: Fabricated metal, powder coated rust.

LOGO: Individual pan channel letters painted brushed aluminum flush mounted to overcut aluminum background pan painted black. Ground illumination.

Replace Project Identification Redesign EX-D.1 and Delete EX-D.2 See Page 6A



2030 WEST DESERT COVE AVE PHOENIX, ARIZONA 85029 602.944.9117 FAX 602.95.0753



© 2006 BLEIER INDUSTRIES, LTD
The drawing and the ideas expressed herein, remain to
confidential property of Bleit Industries, Ltd. Nito drawing an
the ideas contained in it are not to be reproduced, opined
declered to any other person or entity without time expreswritten permission of an officer of Bleit Industries, Ltd.
APPROVED BY:

APPROVED

Minor Administrative Design Review

Case # DR17-1115 (DR05-24J)

Date No.

November 7, 2017

APPROVED

Minor Administrative Design Review

Case # DR05-24H

Date December 30, 2013

APPROVED

Minor Administrative Design Review Case #_DA13-33 (DR05-24)

Date

August 5, 2013


APPROVED PLANS Design Review Board

Case # OROS - JU A
Date: 2 12 09

SUBJECT TO CONDITIONS OF APPROVAL

20BIECI TO COUDITIONS OF WITHOUT

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013



Page 9

SCALE: 1/4" = 1'-0"

Sign Type EX-D - Primary Entry





EX-D.1 Primary Entry Identification Monument

North Side of VA Entry Drive on (Parcel 1A) Val Vista Drive Double Sided

Specifications / Sign Type EX-D.1

Fabricated aluminum with powder coated "Rust" finish.

Individual reverse pan channel letters painted brushed aluminum mounted to overcut aluminum background painted white.

Backlit LED "Halo" illumination and/or ground illumination. Page 10

SCALE: 1/4" = 1'-0"

APPROVED

Minor Administrative Design Review

Case # DR17-1115 (DR05-24J)

November 7, 2017 **APPROVED**

Minor Administrative Design Review

December 30, 2013

APPROVED

Minor Administrative Design Review

Case # DA13-33 (DR05-24)

Date


August 5, 2013


Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013



9650 WEST ROOSEVELT STREET TOLLESON, ARIZONA 85353 602-944-3117 FAX 602-395-0753

	PROJECT:		DATE:	REVISIONS:	
	Val Vista Square Gilbert, AZ	:	7/17/2013		
	Gilbert, AZ		SHEET No:		
	TITLE:		EX-D.1		
•	EX-D.1 Revised D	esign and Text	@ 2013, BLEIER INDUSTRIES, LTD.		
	FMB	Paul Bleier	This drawing and the ideas expressed herein, remain confidential property of Bleier Industries, Ltd. This drawing the ideas contained in it are not to be reproduced, copic disclosed to any other person or entity without the exp written permission of an officer of Bleier Industries,		
	DESIGN No:	SCALE:			
	2013-D-020	AS NOTED			





Minor Entry Monument Double Sided - Backlit Illuminated

EX-D.1

APPROVED

Minor Administrative Design Review

Case # DR17-1115 (DR05-24J)

November 7, 2017

APPROVED

APPROVED

Minor Administrative Design Review Case # DR05-24H

December 30, 2013

Minor Administrative Design Review

Case # DA13-33 (DR05-24)


August 5, 2013 Date

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013



TOLLESON, ARIZONA 85353 602-944-3117 FAX 602-395-0753

UL #48
ALL SIGNS WILL BE (U.L.) LISTED,
(U.L.) 2161 COMPLIANT & CARRY
(U.L.) LABELS
TO BE INSTALLED ACCORDING
TO NEC ARTICLE 600





2. Side View - Scale: 1/2" = 1' - 0"

This Sign Type Has Not Beed Revised and may be used at Main Street Commons and *Val Vista Square.

*Text Change Only Required if Used on Parcel 1A

Sign Type EX-F, Tenant

STRUCTURE: Fabricated metal, k aluminum and powder coated rust

LIGHTING: Low voltage lighting behind & illuminate center id and directory information

DIRECTORY MAP: Externally illuminated sign pane second surface mounted map graphic Map graphic opaque high resolution digital print

LOGO: 1/2 " thick cut FCO letters painted brushed aluminum flush mounted to overcut 1/8" aluminum background painted black

APPROVED PLANS

Design Review Board

SUBJECT TO CONDITIONS OF APPROVAL

APPROVED

3. Plan View - Scale: 1/2" = 1" - 0"

Page 12

1. Pedestrian Directory - Scale: 1/2" = 1 - 0"

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

August 5, 2013 Date


Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013

Sign Type EX-F - Tenant Directory

Tenant Monument (Double Face)

SIGN TYPE 1: Double Face (Qty: 2)

D/F DISPLAY SIGN (INTERNAL ILLUMINATION)



Page 13

END VIEW

Sign Type G1 Has Not Been Revised and exists at Main Street Commons

Minor Administrative Design Review

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013

August 5, 2013

APPROVED

Administrative Design Revie Case Planner Initials:

nelik volen energe **্লি** (বি jarrykilore (Calinda) Westmales Brown (MAP) Bone 36A 3P

(MAP) "Brushed Aluminum" Sq. Tube

Letters: Per Indiv. Corp. Specs

The Trick Continues

Humination: CWHO LAMPS 12 O.C.

8" x 8" Splittace Block Mason Select Adobe

"VISIBLE OPENING" Large Panel - 18" x 81" Max Copy Area Small Panel - 11" x 38-1/2" Max Copy Area

Page 8A

SIGN TYPE 1: Double Face (Qty: 2)

D/F DISPLAY SIGN (INTERNAL ILLUMINATION)



END VIEW

FACE VIEW SCALI

Minor Administrative Design Review
Case # DR05-24H

e # D103-2411 e December 30, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009

* Revised July 17, 2013

APPROVED

August 5, 2013

transcipilling belo (អំពីរនាមារអូរម៉ាម៉ែ backed with 1/64 plex "Main Street Commons" copy routed out. A' push thru plex brushed aluminum overlay Colors Base/Cabinet: Cabinet Weathered Brown (MAP) "Bone" 36A-3P. (MAP) "Brushed Aluminum" Sq. Tube Signage:

MAIN STREET

COMMONS

* VISIBLE OPENING * Large Panel - 18* x 81* Max Copy Area Small Panels - 11* x 23' Max Copy Area

Letters: Per Indiv Corp. Specs
Illumination: CWHO LAMPS 12" O C

8" x 8" Splitface Block

Mason Select Adobe

SIGN CRITERIA TO

Page 8B

Minor Administrative Design Review

DR17-1115 (DR05-24J)

Page 14

Sign Type G2 Has Not Been Revised and exists at Main Street Commons

MUZ-MID

Height not to exceed 8'-0"

PLACE

Length of base to not be less than length of sign cabinet

End View - Scale: 1/2" = 1'-0"

Depth of base to not be less

than depth of sign cabinet

Sign Type G3a Has Not Been Revised and exists at Main Street Commons

Business ID Monument - Scale: 1/2" = 1'-0"

Square aluminum tube embellishment painted Brushed Aluminum.

Fabricated aluminum cap painted Brushed Aluminum

SIGN AREA:

Buildings with setback from property line less than 75 feet: 32 sq. ft. maximum.

Buildings with set back from property line 75 feet or more: 60 sq. ft. maximum

Sign Type EX-G - Business ID Monument

STRUCTURE: Fabricated metal cabinet powder coated rust. Fabricated aluminum cap and square tube aluminum embellishment painted Brushed Aluminum.

TENANT COPY: All copy shall be raised, individual, reverse pan channel, backlit illuminated letters or routed push-through acrylic with face or return illumination.

LOGO: Logos shall be shall individual, reverse pan channel, backlit illuminated logo or routed push-through acrylic with face or return illumination.

BASE: CMU split block base stained to match screen walls - Mason's Adobe (#6040)

APPROVED

Minor Administrative Design Review
Case # DR05-24H
Date December 30, 2013

Minor Administrative Design Review Case # DA13-33 (DR05-24)

APPROVED

Date August 5, 2013

APPROVED PLANS

Design Review Board

Case # DROS-34 A

Date: 2 12 09

SUBJECT TO CONDITIONS OF APPROVAL

APPROVED


Minor Administrative Design Review
Case #_DR17-1115 (DR05-24J)

November 7, 2017

Date

Sign Type EX-G - Business ID Monument





(PUSH THRU GRAPHICS)

Sign Type G3b Has Not Been Revised and exists at Main Street Commons

Sales:

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017 Date

Case # DA13-33 (DR05-24) Case # DR05-24H

August 5, 2013 Date

December 30, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009

* Revised July 17, 2013

Page 8D



09-12-08	Project Name: HAMPTON INN & SU	ITES	This is an original unpublished draw created by Coast Sign, Inc. It is submi		
:	Address: 3266 S Market Street		for your personal use in conjunction wi		
^{n:} Paula M	City / State: Gilbert AZ		Sign inc. And shall not be reproductused by or disclosed to any firm		
F. S.	Client Approval:	Date:	corporation for any purpose whatsoe without written permission.		

drawing ubmitted	No.	Designer	Date	Revision Notes	DESIGN DRAWING 7 of 8
on with a	1	HA	12-03-08	Move sign A on site plan,	Request Number:
y Coast	2	KH	02-16-09	Various changes per PM.	1 1
roduced,	3	WA	02-18-09	See intranet request for more details.	DEV-HIS1-32540-r5
firm or	4	WA	04-06-09	See intranet request for more details.	File Location:
atsoever	5			·	W:\Hilton\Art\Hampton Inn & Suites\DEV-HIS1-32540
	6				VAAMIILONVARIMAAIIIPION IIII & SUIJESIDEV-HIS1-32340





Mfg. & Install (1) D/F Monument Display

scale: 3/8"=1'-0"

60sf

CABINET & BASE:


To be fabricated from 1 ½" Alum. Angle Frame / .063 Alum. Skin. Signage Panels - Routed Alum.Panels backed w/ 1/8" Acrylic Signage per individual corporate specifications Val Vista Square Copy- Routed Out Alum. Panel w/ 1/2" Push-Thru Acrylic Copy w/ .040 Brushed Alum. Overlays. CAPPING/CABINET SEPARATION: Brushed Alum. Sq. Tube ILLUMINATION: CW/HO Fluorescent Lamps

Page 17

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

Subject to administrative approval and following operational limitations:

- a. Display: Displays may be full color. When visible from public rights-of-way, displays shall be static messages. Flashing or animated signs are limited to interior project locations and shall not be visible from public rights-of-way.
- b. Minimum display time: The digital message shall not change more than one every eight (8) seconds.
- c. Transition method: Shall be by instant change method.
- Illumination Levels: Shall incorporate photocell / light sensors, with automatic dim technology that appropriately adjusts to ambient light conditions. Displays shall have brightness level of not greater than 0.3 foot candles above ambient light conditions and measured by foot candle meter.
- e. Maintenance: Any permitted electronic changeable message sign that malfunctions, fails or ceases to operate in its usual or normal programmed manner shall be repaired or disconnected within forty eight (48) hours by the owner or operator of such sign.



APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

Sign Type G4 Date

Case Number DR05-24 A DRB Meeting February 12, 2009

August 5, 2013

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017 Date

16265 Star Road Nampa, ID 83687 toll free: 800.592

APPROVED

Minor Administrative Design Review Case # DR05-24H

Page 8E

* Revised July 17, 2013

December 30, 2013 36.9886 www.imagenational.com

image national signs ..bringing your image to light!

store # 114

SWC Pecos Rd. & 202 San Tan Freeway ACCOUNT EXEC. Gilbert, AZ. 85295

10.06.2011 S. Carico 00000 WF-114 Gilbert-Pylon-C R2 11.01.2012 D. Cobb

NAMPA PLANT



BENJAMIN MOORE HG39 PUTNAM IVORY BENJAMIN MOORE 2103-30 PEATMOSS MATHEWS PAINT MP N952 SP BUSHED AIUM. TRENWYTH - SPLIT FACE CMU - BLACK CANYON

To be fabricated from 1 ½" Alum. Angle Frame w/ .063 Alum. Skin. ILLUMINATION: CW/HO Fluorescent Lamps

CABINET & BASE:

Signage Panels - Routed Alum . Panels backed w/ 1/8" Acrylic Signage per individual corporate specifications Val Vista Square Copy- Routed Out Alum. Panel w/ ½"Push-Thru Acrylic Copy w/ .040 Brushed Alum. Overlays. CAPPING/CABINET SEPARATION: Brushed Alum. Sq. Tube

Page 18

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences

Minor Administrative Design Review Case # DA13-33 (DR05-24)

APPROVED

August 5, 2013

Sign Type G4.1a and 1b

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017

16265 Star Road Nampa, ID 83687 toll free: 800.592.8


APPROVED

Minor Administrative Design Review Case # DR05-24H December 30, 2013

Page 8F

.9886 www.imagenational.com

NAMPA PLANT 10.06.2011 S. Carico SWC Pecos Rd. & image national signs store # 00000 202 San Tan Freeway WF-114 Gilbert-Pylon-C ..bringing your image to light! 114 Gilbert, AZ. 85295 R2 11.01.2012 D. Cobb



EX-G5 Business Identification Monument (Parcel 1A) SCALE: 1/4" = 1'-0"

Adjacent to driveways providing ingress/egress to Parcel 1A, Val Vista Square Maximum Quantity Six (6)

Specifications / Sign Type EX-G5

Main cabinet fabricated aluminum with powder coated "Rust" finish. Internal 800 ma fluorescent and/or LED illumination

Center ID: Individual reverse pan channel letters painted brushed aluminum mounted to overcut aluminum background painted white. Backlit LED "Halo" illumination.

Tenant Panels: Fabricated aluminum pan, 2" deep, painted brushed aluminum. Tenant copy to be routed and backed with white acrylic. 1/2" push thru clear acrylic copy and/or logos applied with first surface transluscent vinyl per Tenant's color specifications.


Combined / Split Configuration*

Combined / Split / Digital Display Configuration**

General Notes:

- Configurations illustrated above are limited for use by Val Vista Square on Parcel 1A, Sign Types EX-G5.a thru EX-G5.f.
- 2) * Combined / Split Configration allows for two or more panels to be combined to provide a larger tenant sign background. More than one combined set of panels can be configured for use on a single monument sign. Similarly, additional split panel configurations may be added.
- 3) **Digital dimensions may vary based upon Manufacturer's specifications. Digital display can occupy up to one half (1/2) of the sign area of the overall display.

FAX 602-395-0753



APPROVED

Minor Administrative Design Review

Val Vista Square 7/17/2013 Gilbert, AZ HEET No: EX-G5 EX-G5 Multi Tenant Configurations © 2013, BLEIER INDUSTRIES, LTD. is drawing and the ideas expressed herein, remain th nfidential property of Bleier Industries, Ltd. This drawing an FMB Paul Bleier sclosed to any other person or entity without the expres titten permission of an officer of Bleier Industries, Lt. 2013-D-020 AS NOTED SALES@BLEIERINDUSTRIES.COM

Case Number DR05-24 A DRB Meeting February 12, 2009

APPROVED

Date

Minor Administrative Design Review December 30, 2013


Page 19

Page 8G

* Revised July 17, 2013

EX-G.1 Site Monument - specifications

- double-sided, painted aluminum internally LED illuminated sign cabinet
- base to be stacked stone
- copy routed out of face and backed with translucent white acrylic
- typeface: helvetica bold
- footing: 2'-6" x 7'-0" caison with 6" diameter steel pipe



Department of 7'-0" 2'-6" x 7'-0" caisson footing 6" diameter steel 7'-0" → +6" — 2'-6" scale: 1/4" = 1'-0" **APPROVED** Minor Administrative Design Review Case # DR17-1115 (DR05-24J) November 7, 2017 paint to match PMS 280 **APPROVED** Minor Administrative Design Review Case #_ DR05-24H December 30, 2013 SIGN TOTALS: 84 Sq. Ft. side view

EX-G.6 Business Identification Monument | elevation | scale: 3/4" = 1'-0"

locations: 01

Revised December 30, 2013

Smith Graft

CUSTOM SIGNS & GRAPHICS

3643 South 7th Street Phoenix, AZ 85040.1130


602.268.1349 Office 602.268.1369 Facsimile Fabrication information shown here is the exclusive property of F & N Enterprises dba SmithCraft and may not be used for fabrication by any other company without authorization from an officer of F & N. **REP:** M. Kepp **BY:** K. Laber **DATE:** 02/25/13

REV: 12/16/13

SPEC NO. XX-00000 JOB NO. 13-020803


GILBERT V. A. Exterior Signage

SIGN TYPE EX-G.6 SHEET 8H




Minor Administrative Design Review
Case # DR17-1115 (DR05-24J)

Date November 7, 2017




SHEET 8I



HOME2 0816615AR5 Sheet 8I Address 3001 S. MARKET ST GILBERT, AZ Account J LEBIHAN Designer P MCDONALD Date 05/25/16 Approval / Date Client Sales Estimating Art Engineering Landlord ECS:6/28/16: UPDATED SITE PLAN. CAP TO [D] and [E]; CHANGE LASE TO CMU SPLT FACE R5:JH:09/23/16: REPLACE 'RED LINED' ART with NEW ELEVATIONS Chandler Signs 17319 San Pedro Ave, Ste. #200 San Antonio, TX 78232 210-349-3804 Fax 210-349-8724 37 Waterfront Part Court Dawsonville, GA 30534 678-725-8852 Fax 210-349-872 FINAL ELECTRICAL CONNECTION BY CUSTOMER

SHEET 8J




⊢3 1/2" -6⊣1 1/2" Front View 3 1/2" Main Entrance 2 5/16" **Visitor Parking** 3 1/2" 3 1/2" 3 1/4" 2 5/8" Ambulance 3 1/2" **Staff Parking Deliveries** EX-H.1 - panel detail | scale: 1 1/2" = 1'-0"

Back View ← Main Entrance **Visitor Parking** EX-H.1 - panel detail I scale: nts

Front View

↑ Ambulance **Staff Parking Deliveries**

Main Entrance Visitor Parking



Main Entrance

Visitor Parking

APPROVED

Minor Administrative Design Review Case # DR05-24H

December 30, 2013

November 7, 2017

Revised December 30, 2013

Back View

Minor Administrative Design Case #HDR17-1115 (DR05-24.) Review

SPEC NO. **GILBERT V. A.**

EX-H.2 - panel detail | scale: 1 1/2" = 1'-0"

Exterior Signage

Install Address: Val Vista Dr. and South Market Street

3643 South 7th Street Phoenix, AZ 85040.1130

EX-H.1 & EX-H.2 On-Site Vehicular Directional | elevation | scale: 3/4" = 1'-0" locations: 03 and 04


602.268.1349 Office 602.268.1369 Facsimile Eabrication information shown here is the exclusive property of F & N Enterprises dba SmithCraft and may not be used for fabrication by any other company without authorization from an officer of F & N.


BY: K. Laber **DATE**: 02/25/13 **REV**: 12/16/13

REP: M. Kepp

JOB NO. 13-020803

XX-00000





602.944.3117 FAX 602.395.0753 SALES@BLEIERINDUSTRIES COM Woodbine Southwest Chandler, Az Tenant Blade Sign As Noted EX-K © 2006, BLEIER INDUSTRIES, LID This drawing and the ideas expressed herein confidential property of Describerations, too. The the ideas contained in it are not to be reprodu-APPROVED BY:

Sign Type EX-K, Tenant Blade Sign Description:

Fabricated aluminum sign, painted ivory with deocrative slats painted brushed aluminum

Tenant Panel (two sides) to be powder coated rust

Tenant name to be FCO 1/4" thick Sintra™ or aluminum letters, painted

Sign is suspended from canopy with painted conduit over attachment cable or chain

APPROVED

Minor Administrative Design Review

Case # _DR17-1115 (DR05-24J)

November 7, 2017 Date

APPROVED

Minor Administrative Design Review

Case # DR05-24H

December 30, 2013

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

Date

August 5, 2013

APPROVED PLANS Design Review Board

SUBJECT TO CONDITIONS OF APPROVAL

Case Number DR05-24 A DRB Meeting February 12, 2009 * Revised July 17, 2013

Sign Type K Has Not Beed Revised Page 22 and May be Used at Main Street Commons and Val Vista Square

Sign Type EX-K - Tenant Blade Sign





General Requirements Building Signage

These criteria have been established for the purpose of maintaining a continuity of quality and aesthetics throughout the project, for the mutual benefit of all Tenants and Property Owners ["Tenant(s) / Owner(s)"], and to comply with the approved Master Sign Program for the development, regulations of the Town of Gilbert Sign Ordinance, and building and electrical codes of any governmental authority having jurisdiction. Conformance will be strictly enforced, and any non-compliant sign(s) installed by a Tenant / Owner shall be brought into conformance at the sole cost and expense of the Tenant. This criteria is subject to final approval by the Town of Gilbert as part of a Master Sign Program submittal. If a conflict is found to exist between these criteria and the final criteria approved by the Town of Gilbert, the latter shall prevail.

GENERAL REQUIREMENTS

- Tenant / Owner or Tenant's / Owner's representative shall obtain all sign and building permits for signs and their installation.
- В. All signs shall be constructed and installed at Tenant's / Owner's sole expense.
- C. Tenant / Owner shall be responsible for the fulfillment of all requirements and specifications, including those of the Town of Gilbert.
- D. All signs shall be reviewed for conformance with these criteria and overall design quality. The Town of Gilbert shall have sole and absolute discretion in granting approval or disapproval of any Tenant / Owner sign submittal.
- E. Tenant / Owner shall be responsible for the installation and maintenance of Tenant's / Owner's sign. Should the Tenant's / Owner's sign require maintenance or repair, the Spectrum Commercial Core Association (Association) or the Val Vista Square Property Owner's Association (Association) shall give the Tenant / Owner thirty (30) days written notice to effect said maintenance or repair. Should Tenant / Owner fail to do the same, the Association may undertake repairs and Tenant / Owner shall reimburse the Association within ten (10) days from receipt of Association's invoice.

II. **SPECIFICATIONS**

A. **General Specifications**

- 1. No animated, flashing or audible signs shall be permitted.
- All signs and their installation shall comply with all local building and electrical codes.
- Exposed raceways used to contain electrical components required to illuminate the signage, are permitted when specifically required to attach specialty signage to canopies and/or architectural features appurtenant to the Tenant's leased space. Exposed raceways will require Zoning Administrator approval. Tenant signage shall primarily consist of individual letters and logos installed onto the building's wall surface, canopies, and/or any architectural feature specifically designed to accommodate signage. Raceways may not have a vertical profile greater than six (6") inches and shall be painted to match the canopy or architectural feature upon which is mounted.
- All conductors, transformers and other electrical equipment required to illuminate the Tenant's signage shall be concealed.
- Painted lettering shall not be permitted except as approved by the Owner and the Town of Gilbert.
- Any damage to the wall surface, canopy and/or roof deck resulting from Tenant's sign installation shall be repaired at Tenant's sole cost.
- 7. Upon removal of any sign by a Tenant / Owner, the Tenant / Owner shall immediately repair any damage to the wall surface, canopy, sign panel, cabinet and/or roof deck to its original condition at Tenant's / Owner's expense.

В. Location of Signs

1. All signs or devices advertising an individual use, business or building shall be attached to the building at the location as approved.

C. Letter Style or Logo Restrictions

1. Copy and/or logos utilized shall be Tenant's choice subject to the approval of the Town of Gilbert Planning Department.

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017 Date

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

August 5, 2013

APPROVED

Minor Administrative Design Review Case # DR05-24H December 30, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013

III. **DESIGN REQUIREMENTS - Inline Tenant Signs**

Tenant signage shall primarily consist of internally illuminated pan channel letters and logos with acrylic faces, reverse pan channel "backlit" illuminated letters and logos, pan channel letters and logos with exposed neon or any combination of the methods just described. Unique signage applications such as projecting elements, canopy mounted displays, and architecturally integrated storefronts functioning as signage are encouraged and shall be permitted subject to the written approval of the Owner, and sign permit issuance, when regulated, by the Town of Gilbert. The Tenant shall first submit all proposed signage details to the Owner as previously stated in this criteria, and shall obtain the written approval from the Owner prior to submitting a sign permit application to the Town of Gilbert. The Town of Gilbert shall require a written acknowledgement from the Owner that states that they have reviewed and approved the proposed signage prior to and condition of any permit issuance. All signage shall be installed in compliance to the Town of Gilbert electrical code and UL 2161 / UL 48 specifications. Any sign installation found to be non-compliant with these provisions shall be remedied immediately by the Tenant at Tenant's sole expense. Wall signs which substantially deviate from the typical signs presented in this Master Sign Plan as determined by Planning Staff, shall be reviewed by the Owner and Planning Department prior to sign permit issuance.

Α. Sign Area

1. The maximum allowable sign area per building elevation for each Tenant shall be calculated by multiplying one and one-half (1.50) times the length of the storefront(s) and/or elevation(s) occupied by the Tenant. For major and mini-major Tenants, sign area may be increased by up to twenty five (25%) percent to accommodate national and specialty identification programs. For shop and pad Tenants located within seventy five (75) feet of a public street property line, sign area for the elevation parallel to the public street shall be calculated by multiplying one (1.0) times the length of the storefront(s) and/or elevation(s) occupied by the Tenant. As a minimum, each Tenant shall be permitted a minimum of thirty two (32) square feet of sign area per elevation upon which signage is placed.

Letter Height and Placement Restrictions

- 1. Tenant signage shall be installed in accordance with the approved Master Sign Program in location(s) designated by the Owner and/or it's agents.
- All national retailers shall be permitted to utilize their standard corporate identification program subject to sign area limitations contained in the approved Master Sign Program and subject to Owner approval. All signage shall be reviewed and approved by the Owner and shall be appropriate to the surrounding building features, environment, and thematic design of the project.

- 3. Dimensions of Sign on Wall Surface: For signage on wall surfaces, canopies, or architectural features oriented to or intended to be read from public streets, the height and length of a wall sign shall not exceed eighty (80%) percent of the vertical height and horizontal length of the exterior building elevation and/or surface upon which it is placed In accordance with Section 4.407C.1f, Sign Regulations of the Gilbert Land Development Code.
- 4. Tenant wall signage shall not exceed eighty (80%) percent of Tenant's leased storefront length on wall surfaces, canopies, or architectural features oriented to or intended to be read from public streets.

C. Letter Style or Logo Restrictions

1. Copy and/or logos utilized shall be Tenant's choice, subject to the approval of Owner and/or it's agents and the Town of Gilbert.

D. Illumination

1. Tenant building signage shall primarily consist of individual letters and logos that are internally illuminated, backlit to create a silhouette, illuminated using exposed neon tubing or any combination thereof. Other forms of lighting methods may be utilized subject the approval of the Owner, which may be withheld at the sole and absolute discretion of the Owner.

E. **Under Canopy Sign**

- 1. Applicability. Each Tenant may be permitted to install a double-faced under canopy blade sign in accordance to specifications approved by the Owner.
- 2. Design. All under canopy blade signs shall be constructed as shown in Sign Type EX-K. All blade sign copy shall consist of flat cut out copy for non-illuminated displays and routed copy with backup acrylic for internally illuminated displays. Tenant shall furnish and install the approved display at Tenant's sole and separate expense. Tenant shall pay for all costs associated with the production and installation of Tenant's blade sign.
- 3. Location. The blade sign shall be suspended and/or projected over or near the main entry to the Tenant's space at a standard horizontal distance from the building face and vertical height above the sidewalk grade as established by the Owner.
- F. All under canopy blade sign copy shall consist of flat cut out graphics for non-illuminated displays and routed copy with backup acrylic for internally illuminated displays. The Owner shall approve in writing all copy and layout prior to installation of any blade sign. Each Tenant shall furnish and install the approved display at Tenant's sole and separate expense. Tenant shall pay for all costs associated with the production and installation of Tenant's blade sign.

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017

Date

APPROVED

Minor Administrative Design Review Case #_DA13-33 (DR05-24) August 5, 2013 Date

Case Number DR05-24 A DRB Meeting February 12, 2009

APPROVED Minor Administrative Design Review Case # DR05-24H December 30, 2013

G. The blade sign shall be suspended and/or projected using a mechanism consistent with other under canopy blade signs throughout the Main Street Commons as specified.

IV. DESIGN REQUIREMENTS - Wall Signs

A. Wall signs

- 1. Applicability. Wall signs are permitted on any exterior wall of a tenant / user suite or building within the project and shall apply to all parcels.
- 2. Total Business Sign Area. Each business shall be permitted a minimum Wall Sign area of thirty two (32) square feet. The maximum Wall Sign area permitted for a business shall be the greater of the sign area calculated per Section A.2.a (see below) for the longest building elevation of the tenant / user suite facing the street or the sign area calculated per Section A.2.a (see below) for the length of the building elevation of the tenant / user suite in which the principal entrance to the business is located.
 - a. Wall signs are permitted at a rate of one (1) square foot of sign area for every one (1) lineal foot of building elevation measured on the elevation where the entrance is located or the longest elevation. For buildings set back more than seventy five (75) feet from the right-of-way, one and one half (1.5) square feet per lineal foot is permitted.
 - b. Wall signs within the project may exceed the standard sign area by up to twenty five (25%) percent of the allowance when on a freestanding building.
- 3. Mid-Story Buildings. Wall signs on multiple floors of a multi-story building shall conform to the multi-story signage design criteria set forth below.
 - a. Wall signs for two (2) story buildings shall be allowed as follows.
 - i. Individual tenant signs located on the second floor of a building two stories in height shall not exceed the allowance set forth in Section A.2. Tenant signs may be placed on any approved sign band or wall space on the second floor and the total sign area combined, including Building Identification Signs, shall not exceed fifty (50%) percent of the lineal building elevation on the second floor.
 - ii. Individual Building Identification Signs located on buildings two stories in height shall not exceed the allowance set forth in Section 2.A..The total sign area combined, including tenant signs, shall not exceed fifty (50%) percent of the lineal building elevation on the second floor.

Page 25

- b. Multi-story buildings greater than two (2) stories in height shall be limited to signage on the first floor and top floor.
- i. Sign area allowance for first floor tenants is subject to the provisions set forth for wall signs in Section
- A.2.. Sign area allowed on the top floor shall not be counted against allowable wall signage on the first floor. Top floor signage is limited to either building identification and one building tenant or two building tenants and shall adhere to the following letter height requirements:
 - Market Street- The sign must be greater than forty (40') feet from finished floor. The size of the sign face's calculated per Section A.2 or one (1%) percent of the area of the elevation to which it is attached and the letters must be a minimum of twelve (12") inches.
 - Val Vista Drive and Pecos Road- The sign must be greater than forty (40') feet from finished floor.
 The size of the sign face's calculated per Section A.2 or one (1%) percent of the area of the elevation to which it is attached and the letters must be a minimum of fifteen (15") inches.
 - San Tan Freeway- The sign must be greater than forty (40') feet from finished floor. The size of the sign face's calculated per Section A.2 or one (1%) percent of the area of the elevation to which it is attached and the letters must be a minimum of twenty one (21") inches.
- c. Wall signs within the project may exceed the standard sign area by up to twenty five (25%) percent.
- 4. Design. Wall signs shall fit proportionally with building massing and architectural features of the elevation.
 - a. Building signage shall primarily consist of individual letters and logos that are internally illuminated, backlit to create a silhouette, illuminated using exposed neon tubing or any combination thereof. Other forms of lighting methods may be utilized subject to the Town of Gilbert.
 - b. Exposed raceways used to contain electrical components required to illuminate the signage, are permitted with the approval of the Town of Gilbert Zoning Administrator when specifically required to attach specialty signage to canopies and/or architectural features appurtenant to the Tenant's leased space. Tenant signage shall primarily consist of letters and logos installed onto the building's wall surface, canopies, and/or any architectural feature specifically designed to accommodate signage.
 - c. All conductors, transformers, and other electrical equipment required to illuminate the Tenant's signage shall be concealed.
 - d. Painted lettering shall not be permitted.

Minor Administrative Design Review

December 30, 2013

Case # DR05-24H

- e. No animated, flashing or audible elements or features shall be permitted on wall signs.
- f. Sign and logo locations must be approved by the Planning Department on an approved elevation per the Gilbert Land Development Code.

APPROVED Minor Administrative Design Review Case # DR17-1115 (DR05-24J) Date November 7, 2017 APPROVED Minor Administrative Design Review Case # DA13-33 (DR05-24) Date August 5, 2013 iii

Case Number DR05-24 A DRB Meeting February 12, 2009

APPROVED Revised July 17, 2013

- g. Amendments to the Master Sign Plan may be approved through an Administrative Design review where such changes are determined to have little or no visual impact and are consistent with the intent of the original approval.
- Dimensions. The length of the Wall Sign shall not exceed eighty (80%) percent of the horizontal length of the exterior building elevation of the tenant suite. The height of the Wall Sign shall not exceed eighty (80%) percent of the vertical dimension of the sign band or wall space on which the sign is placed.
- Placement and Scale. Wall Signs shall be placed on an area that is free of architectural details. Wall Signs shall not be located closer to the top of the parapet that one-half (1/2) the vertical dimension of the largest letter or character.
- 7. Repair and Maintenance. When it is determined by the Town of Gilbert that signs are showing significant fading, deterioration or damage, the Tenant /Owner shall repair or replace the signage as necessary. Upon removal of any sign by a tenant, the tenant shall immediately repair any damage to the wall surface, canopy, and/or roof deck to its original condition at tenant's sole expense.
- 8. All signs and their installation shall comply with all local building and electrical codes.

Window Signs

- 1. Area. The allowable area of permanent window signage will be calculated as part of the allowable building signage. Temporary window signs shall not exceed fifteen (15%) percent of the total window area and will not be included in the building signage calculation.
- 2. Location. Individual businesses may display temporary signs in a first floor window area or within six (6') feet behind a window.

V. **DESIGN REQUIREMENTS - Freestanding Signs**

- 1. Gateway Monument
 - a. At the southeast corner of the intersection of Val Vista Drive and Pecos Road, a Gateway Monument reading, "Val Vista Square" shall be erected as shown in Sign Type EX-B. All four corners of the intersection must have the same Gateway Monument except for the copy. The sign portion of this monument shall be a fabricated metal pan, powder coated "rust" and inset into the stone veneer. The copy shall be individual reverse pan channel letters painted brushed aluminum and mounted to an overcut aluminum background painted black. The lighting shall be ground illumination.

Page 26

- Primary Entry and Secondary Gateway Monuments
 - a. At the primary entry to "Val Vista Square" from Val Vista Drive, there shall be one (1), Primary Entry Monument located on Parcel 1A as shown on Sign Type EX-D. The Secondary Gateway Monuments reading, "Val Vista Square" are to be located at the northeast corner of Val Vista Drive and Market Street (Parcel 2A) and the southwest corner of Pecos Road and Market Street (Parcel 1A) as shown on Sign Type EX-C. The monuments shall be made of fabricated metal, powder coated "rust" for all "Val Vista Square" signage. Copy shall be individual reverse pan channel letters painted brushed aluminum flush mounted to overcut aluminum painted white. Illumination may be internal, backlit, ground lighting or any combination thereof.
- Vehicular Directional Signage as shown on Sign Type EX-E may be used throughout "Val Vista Square" (Parcel 1A) to direct vehicular traffic as required. Sign Type EX-E is non-illuminated. All copy is to be reflective white 3M Scotchlite™, or similar product applied to a fabricated metal pan powder coated "rust. The "fin" element is to be painted brushed aluminum and may contain a logo or project identification graphic. This sign type may be single or double sided.
- Business Identification Monument Signs Main Street Commons and Val Vista Square [(Parcel 2A, Parcel 5 and Parcel 8, Lots 2A, 2B, 3A and 3B: Sign Types EX-G1 (a & b), EX-G2 (a to c), EX-G3a (1 & 2) and EX-G3b)]
 - a. Number. One (1) on-site Freestanding Monument Sign is permitted for any lot or parcel with a minimum of one hundred (100) feet o arterial / collector/ or private street frontage. Lots or parcels with six hundred (600) feet of frontage are permitted two (2) Freestanding Monument Signs. One (1) additional Freestanding Monument Sign is permitted for each additional three hundred thirty (330) feet of street frontage.
 - b. Height. Signs shall be no greater than eight (8) feet in height to the top of the cap (decorative features may extend above).
 - c. Area. For buildings whose minimum setback is less than seventy five (75) feet from the right-of-way, the Freestanding Monument Sign shall not exceed thirty two (32) square feet. For buildings whose minimum setback is at least seventy five (75) feet from the right-of-way, the Freestanding Monument Sign shall not exceed 60 square feet.
 - d. Setback. Freestanding Monument Signs that front arterial streets shall be set back a minimum of three (3) feet from the right-of-way.

e. Spacing. Freestanding Monument signs shall maintain a n	ninimum spacing of one hundred (100) feet from
any other Freestanding Monument Sign on the same street fro	ontage. APPROVED
APPROVED	Minor Administrative Design Review
Minor Administrative Design Deview	DA 40 00 (DD0= 04)

Date

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

Case # DA13-33 (DR05-24) August 5, 2013

iv

November 7, 2017 Date **APPROVED**

-Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013

Minor Administrative Design Review Case # DR05-24H December 30, 2013

- f. Changeable Message Signs. One-half (1/2) of a Freestanding Monument Sign may be a Changeable Message Sign
- g. Location. These signs shall be placed in a landscape area specifically designed to accommodate the signage. Freestanding Monument Signs are intended to be placed adjacent to major entries or in a primary location designed to specifically accommodate such a display(s).
- h. Design- All Business Identification Monument Signs located within the "Main Street Commons" parcel 8 shall be set on decorative masonry bases or in a decorative masonry planter stained Mason's Select Adobe (#6040) and any accent staining done with Mason's Select Brownstone (#6040). The stain colors shall match the colors on the project masonry screen walls. The sign cabinet must be constructed from plate aluminum with a decorative coping detail as shown in EX-G1 to EX-G3. The sign cabinet should be textured and painted to match the primary building color or an accent color, if appropriate. All copy will be raised, individual, reverse pan channel, backlit illuminated letters or routed push-through acrylic with face or return illumination. The logo(s), if utilized, may be face illuminated.
- Business Identification Monument Signs WinCo / Pads ((Parcel 9: Sign Type EX-G4.1, EX-G4.2 (a & b))
 - a. Number. One (1) Freestanding Multi-Tenant Monument Sign with project identification reading, "Val Vista Square" is permitted for Market Street at the site's primary driveway and two (2) Freestanding Multi-Tenant Monument Signs with project identification reading, "Val Vista Square" are permitted for Pecos Road adjacent to the site's two primary entry driveways.
 - b. Height. Signs shall be no greater than twelve (12) feet in height to the top of the cap (decorative features may extend above).
 - c. Area. The Freestanding Multi-Tenant Monument Signs shall not exceed sixty (60) square feet.
 - d. Setback. Freestanding Monument Signs that front arterial streets shall be set back a minimum of three (3) feet from the right-of-way.
 - e. Spacing. Freestanding Monument signs shall maintain a minimum spacing of one hundred (100) feet from any other Freestanding Monument Sign on the same street frontage.
 - f. Changeable Message Signs. One-half (1/2) of a Freestanding Monument Sign may be a Changeable Message Sign (digital or static).

Page 27

- g. Location. These signs shall be placed in a landscape area specifically designed to accommodate the signage. Freestanding Monument Signs are intended to be placed adjacent to major entries or in a primary location designed to specifically accommodate such a display(s).
- h. Design- All Business Identification Monument Signs located on the "WinCo / Pad" parcel 9 shall be set on decorative masonry bases or in a decorative masonry planter stained Mason's Select Adobe (#6040) and any accent staining done with Mason's Select Brownstone (#6040). The stain colors shall match the colors on the project masonry screen walls. The sign cabinet must be constructed from aluminum with a decorative coping detail as shown in EX-G4.1 to EX-G4.3. The sign cabinet should be textured and painted to match the primary building color or an accent color, if appropriate. Copy reading "Val Vista Square" will be raised, individual, reverse pan channel, backlit illuminated letters or routed push-through acrylic with face or return illumination.". Tenant panels shall be painted brushed aluminum. Tenant copy and logos shall be routed from the pan background, backed with acrylic. Translucent vinyl per Tenant's color choice shall be applied first surface to the acrylic copy. Tenant panels shall be internally illuminated. Tenant panels may be configured as single panels, combined panels to increase size, and in combination with a digital changeable message sign as shown on Sign Type EX-G4. Logo(s), if utilized, may be face illuminated.
- Business Identification Monument Signs Val Vista Square (Parcels 1A): Sign Type EX-G5 a to f and EX-G.6.
 - a. Number. Up to three (3) Freestanding Multi-Tenant Monument Sign with project identification reading, "Val Vista Square" are permitted for Market Street at the site's driveways, up to two (2) Freestanding Multi-Tenant Monument Signs with project identification reading, "Val Vista Square" are permitted for Pecos Road adjacent to the site's two entry driveways, and one (1) Freestanding Multi-Tenant Monument Sign with project identification reading, "Val Vista Square" is permitted for Pecos Road adjacent to the site's future driveway (if applicable). One (1) Freestanding Tenant Monument Signs is permitted on Val Vista Drive per Sheet 8H
 - b. Height. Signs shall be no greater than fifteen (15') feet in height to the top of the slanted section.
 - c. Area. The Freestanding Multi-Tenant Monument Signs shall not exceed one hundred (100) square feet.
 - d. Setback. Freestanding Monument Signs that front arterial streets shall be set back a minimum of three (3) feet from the right-of-way.
 - e. Spacing. Business Identification Monument Signs shall maintain a minimum spacing of one hundred (100) from any other Business Identification Monument Sign on the same street frontage.
 - f. Changeable Message Signs. One-half (1/2) of a Freestanding Monument Sign may be a Changeable Message Sign (digital or static). **APPROVED**

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

Date

November 7, 2017

Minor Administrative Design Review Case # DA13-33 (DR05-24)

August 5, 2013

APPROVED

Minor Administrative Design Review Case # DR05-24H December 30, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013 Revised December 30, 2013 g. Location. These signs shall be placed in a landscape area specifically designed to accommodate the signage. Freestanding Monument Signs are intended to be placed adjacent to major entries or in a primary location designed to specifically accommodate such a display(s).

h. Design- All Business Identification Monument Signs located within "Val Vista Square" (Parcel 1A) shall be set on a decorative masonry / stone base matching the stone utilized on the Gateway Monument Sign Type EX-B feature. The sign cabinet shall be constructed from plate aluminum, powder coated "rust". Tenant panels shall be two (2") inch deep pan formed painted brushed aluminum. Tenant copy and logos shall be routed from the pan background, backed with white acrylic and ½" clear acrylic push thru copy. Translucent vinyl per Tenant's color choice shall be applied first surface to the push thru copy. Tenant panels shall be internally illuminated. Copy reading, "Val Vista Square" shall be individual reverse pan channel letters painted brushed aluminum flush mounted to overcut aluminum painted white. Illumination may be internal, backlit, ground lighting or any combination thereof. Tenant panels may be configured as single panels, combined panels to increase size, split panels to decrease size; in any combination; and in combination with a digital changeable message sign as shown on Sign Type EX-G5. Sign EX-G6 may only state the tenant name and may be painted PMS 280. If the tenant changes in the ents.

Freeway Signs – (Parcel 8, Parcel 8 / Tract A, Parcel 9)

a. Quantity and Location. The project may have a total of five (5) freeway pylon signs as shown on Sign Type EX-A and in the approximate locations graphically depicted on the Site Plan Sheet SP-1 included in the document. Parcels 8 and 9 may each have a single freeway pylon sign located within the boundaries of their parcel and the three (3) remaining freeway pylons may be located within the limits of the Tract "A" Retention Basin of Parcel 8. Sign Type EX-A.1 shall be designated for use exclusively by Main Street Commons and shall be identified as such on the display. Sign Types EX-A.2 thru EX-A.5 shall be designated exclusively for use by Val Vista Square and shall be identified as such on each of the displays.

b. Height. Freeway Pylon Signs shall not exceed a maximum of sixty (60') feet above grade or thirty (30') feet above the grade of the nearest lanes of the adjacent freeway main travel lanes, whichever is greater.

c. Area. The area for the Freeway Pylon Signs shall meet the dimensions and calculations shown on Sign Type EX-A.

d. Changeable Message Signs. Freeway Pylon Signs may include changeable message signs subject to Design Review Board approval.

7. Directory Signs

a. Number. One (1) sign shall be permitted for each five (5) tenants or uses.

b. Size. Signs shall be no greater than forty (40) square feet in area and eight (8') feet in height to the cap. Decorative features may extend above.

c. Location. Sign Type EX-F may be located throughout the project in locations to be determined and approved by the Owner and the Town of Gilbert Planning Department. Directory signs shall only be installed on-site in landscaped islands or pedestrian areas.

DESIGN REQUIREMENTS - Temporary Signs

1. Temporary window mounted signs required to provide leasing information or to announce special events, sales, etc. shall be permitted, provided that no such sign or group of signs in aggregate exceeds fifteen (15%) percent of the total area of the window in which they are displayed.

2. Colors for temporary window signs are unrestricted.

3. No window may be painted or blocked to make them opaque without the approval by the Town of Gilbert Planning Department.

4. Special event signs may be erected no sooner than seven (7) days preceding the special event, and must be removed within three (3) days following the event.

The quantity, size, color and placement of all such window mounted temporary signs shall be evaluated and approved at the sole discretion of the Owner on an individual tenant and/or site specific basis.

VII. **PROHIBITED SIGNS**

1. Signs, which incorporate projected images, emit any sound, which is intended to attract attention or involve the use of live animals.

Any sign attached to a building canopy or arcade which:

APPROVED

Minor Administrative Design Review Case # _DR17-1115 (DR05-24J)

November 7, 2017

APPROVED

Minor Administrative Design Review Case #_ DR05-24H

December 30, 2013

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

August 5, 2013

Case Number DR05-24 A DRB Meeting February 12, 2009 Revised July 17, 2013

Revised December 30, 2013

vi

- a. Is parallel with a wall of the building, canopy, or arcade, but projects more than eighteen (18") inches from such wall.
- b. Extends above the roofline or above the top of the parapet of the front wall of the building, whichever is higher.
- c. Is constructed as a non-illuminated or illuminated "cabinet" or "can" type sign, consisting of one or two-faced units attached to a central housing.
- Signs not permanently affixed or attached to the ground or to any structure, except for signs and temporary banners utilized for emergency purposes.
- 4. Any sign, banner, or structure which:
 - a. Is structurally unsafe.
 - b. Constitutes a hazard to safety or health by reason of inadequate maintenance.
 - c. Is not kept in good repair.
 - d. Is capable of causing electrical shocks to persons likely to make incidental contact.
 - e. In any way obstructs the view of, may be confused with, or purports to be an official traffic sign, signal, or device or any other official sign.
 - f. Uses any words, phrases, symbols or characters implying existence of danger, or the need for stopping or maneuvering a motor vehicle.
 - g. Creates in any other way an unsafe distraction for motor vehicle operators.
 - h. Obstructs the view of motor vehicle operators entering a public roadway from any parking area, service drive, private driveway or other thoroughfare.
 - i. Off premise advertising signs or any other sign not pertinent and clearly incidental to the permitted use on the property where located.

- j. Any sign which obstructs free ingress or egress from a required door, window, fire escape, or other required exit way.
- k. Inflatable signs.

GENERAL CONSTRUCTION REQUIREMENTS

- All exterior signs shall be secured by concealed fasteners, stainless steel, or nickel cadmium plated. A.
- B. All signs shall be fabricated using full welded construction or similar method to conceal light leaks.
- C. All penetrations of a building structure required for sign installation shall be neatly sealed in a watertight condition.
- D. No labels or other identification shall be permitted on the exposed surface of signs except those required by local ordinance, which shall be applied in an inconspicuous location.
- E. Tenant shall be fully responsible for the operations of tenant's sign contractors and shall indemnify, defend and hold Owner harmless for, from and against damages or liabilities on account thereof.

APPROVED

Minor Administrative Design Review Case # DR17-1115 (DR05-24J)

November 7, 2017 Date

APPROVED

Minor Administrative Design Review Case # DA13-33 (DR05-24)

Case Number DR05-24 A DRB Meeting February 12, 2009

August 5, 2013 Date

vii

Revised July 17, 2013

December 30, 2013